



BOWDEN CABLES AND CONTROL LEVERS

SPARE PARTS IN
OEM QUALITY

FLUID
POWER
SOLUTIONS.


BOWDEN CABLE WITH BALL HEAD

- Suitable for Stoll Frontlader
- Robust, Solid, Profi Line, CompactLine, EcoLine
- For control levers with ball mount – Ball Ø 14 mm
- Bending radius min. 200 mm



Order no.	Length	Reference no.	Article no.
5IN-00600SS	600 mm		441167 00600
5IN-00700SS	700 mm		441167 00700
5IN-00800SS	800 mm		441167 00800
5IN-00900SS	900 mm		441167 00900
5IN-01000SS	1.000 mm	0483170	441167 01000
5IN-01100SS	1.100 mm		441167 01100
5IN-01200SS	1.200 mm	0485720	441167 01200
5IN-01300SS	1.300 mm		441167 01300
5IN-01350SS	1.350 mm	1439710	441167 01350
5IN-01400SS	1.400 mm		441167 01400
5IN-01500SS	1.500 mm	0483180	441167 01500

Order no.	Length	Reference no.	Article no.
5IN-01600SS	1.600 mm	0485730	441167 01600
5IN-01700SS	1.700 mm	0485740	441167 01700
5IN-01800SS	1.800 mm		441167 01800
5IN-01850SS	1.850 mm	0494730	441167 01850
5IN-02000SS	2.000 mm	0485750	441167 02000
5IN-02200SS	2.200 mm	0485760	441167 02200
5IN-02500SS	2.500 mm	0485710	441167 02500
5IN-02600SS	2.600 mm		441167 02600
5IN-02800SS	2.800 mm	3331130	441167 02800
5IN-03000SS	3.000 mm	3695680	441167 03000




* The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.

BOWDEN CABLE NORDHYDRAULIK

- For Nordhydraulik front loader valve
- Bending radius min. 200 mm



Order no.	Length	Reference no.	Article no.
5IN-731593/01.60	1.600 mm		731593 01600
5IN-731593/01.70	1.700 mm		731593 01700
5IN-731593/01.80	1.800 mm		731593 01800
5IN-731593/02.00	2.000 mm		731593 02000
5IN-731593/02.20	2.200 mm		731593 02200




* The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.

BOWDEN CABLE WITH BALL HEAD

- Suitable for ALÖ, Quicke, Baas Trima loaders
- Trima ErgoDrive, 100er Serie, 200er Serie
- Quicke Q Serie, N Serie, X Serie
- For control levers with ball mount – Ball Ø 14 mm
- Bending radius min. 200 mm



Order no.	Length	Reference no.	Article no.
5IN-741616/01.40	1.400 mm	5020352, 5020941	741616 01400
5IN-741616/01.60	1.600 mm	5020353, 5020942	741616 01600
5IN-741616/01.80	1.800 mm	5020354, 5020943	741616 01800
5IN-741616/02.00	2.000 mm	5020355, 5020944	741616 02000
5IN-741616/02.20	2.200 mm	5020356, 5020945	741616 02200
5IN-741616/02.40	2.400 mm	5020357, 5020946	741616 02400
5IN-741616/02.60	2.600 mm	5020358, 5020947	741616 02600
5IN-741616/02.80	2.800 mm	5020359, 5020948	741616 02800




* The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.

BOWDEN CABLE WITH EYELET

- Suitable for Baas Trima Lader
- Trima Professional, Trima Mono, Trima B
- For control levers with bolt
- Bending radius min. 200 mm



Order no.	Length	Reference no.	Article no.
5IN-731617/01.60	1.600 mm	20729822	731617 01600
5IN-731617/01.80	1.800 mm	20729823	731617 01800
5IN-731617/02.00	2.000 mm	20729824	731617 02000
5IN-731617/02.20	2.200 mm	20729825	731617 02200
5IN-731617/02.40	2.400 mm	20729826	731617 02400



* The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.


BOWDEN CABLE WITH FORK HEAD

- Universally applicable
- For linear control levers with bolt
- Bending radius min. 200 mm



Order no.	Length	Reference no.	Articleno.
5IN-3056/01.00	1.000 mm		3056 01000
5IN-3056/01.25	1.250 mm		3056 01250
5IN-3056/01.50	1.500 mm		3056 01500
5IN-3056/01.60	1.600 mm		3056 01600
5IN-3056/01.70	1.700 mm		3056 01700
5IN-3056/02.00	2.000 mm		3056 02000

Order no.	Length	Reference no.	Article no.
5IN-3056/02.50	2.500 mm		3056 02500
5IN-3056/02.80	2.800 mm		3056 02800
5IN-3056/03.00	3.000 mm		3056 03000
5IN-3056/04.00	4.000 mm		3056 04000
5IN-3056/05.00	5.000 mm		3056 05000




* The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.

BOWDEN CABLE WITH HOOK

- Universally applicable
- For linear control levers with hook mount
- Bending radius min. 200 mm



Order no.	Length	Reference no.	Article no.
5IN-732491/01.60	1.600 mm		732491 01600
5IN-732491/01.80	1.800 mm		732491 01800
5IN-732491/02.00	2.000 mm		732491 02000
5IN-732491/02.50	2.500 mm		732491 02500
5IN-732491/03.00	3.000 mm		732491 03000
5IN-732491/03.50	3.500 mm		732491 03500
5IN-732491/04.00	4.000 mm		732491 04000
5IN-732491/05.00	5.000 mm		732491 05000




* The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.

BOWDEN CABLE WITH BALL HEAD

- Suitable for Mailleux MX front loader
- T-Serie, U-Serie
- For control levers with ball mount - Ball \varnothing 14 mm
- Bending radius min. 200 mm



Order no.	Length	Reference no.	Article no.
5IN-431216/01.80	1.800 mm	300668	431216 01800
5IN-431216/02.10	2.100 mm	300669	431216 02100
5IN-431216/02.40	2.400 mm	300675	431216 02400
5IN-431216/02.80	2.800 mm	300676	431216 02800






* The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.

BOWDEN CABLE CONTROL LEVER, ISO CROSS SHIFT LEVER

- For Bowden cables with ball \varnothing 14 mm
- With side lock / road safety device
- Robust design - die cast zinc body
- Symbol panel with ISO symbols
- Up to 4 electrical buttons (each max. 4A at 30VDC)



Order no.	Number of buttons	Reference no.	Article no.
5IN-IP-6020	0	1433390	ID-6020
5IN-IP-6019	1		ID-6019
5IN-IP-6022	2	1433400	ID-6022
5IN-IP-6023	3	1433420	ID-6023
5IN-IP-6024	2 + 2 (Powershift)		ID-6080



* The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.

BOWDEN CABLE CONTROL LEVER, LINEAR LEVER

- Multiple flanged levers
- Incl. manual lever
- Spring returned



Order no.	Casing	for Bowden cable	Article no.
5IN-3047	die casting	with fork head	IP-3047
5IN-IS-3430	plastic	with hook	IS-3430

HANDLES

- With M10x1,5 mm internal thread
- with push button or rocker switch (max. 4A at 30VDC)
- Incl. 1 m cable



Order no.	Button	Thread	Article no.
5IN-9464	push button	M10x1,5 mm	IC-9464
5IN-8245	rocker switch	M10x1,5 mm	IC-8245

Order no.	Name	for handle with	Article no.
5IN-3631	protective cap	push button	IC-3631
5IN-9345	rubber protective cap	rocker switch	IC-9345

BOWDEN CABLE CONTROL LEVER, ISO CROSS SHIFT LEVER

- For Indemar control lever CU300
- Original Indemar spare parts



HANDLE

Order no.	Number of buttons	Reference-number*	Article no.
6IN-IP-8774	0	1433390	IC-9564
5IN-IP-8382-A	1		IC-9556
5IN-IP-8383-A	2	1433840	IC-9557
5IN-IP-8384-A	3	1433860	IC-9558



BELLOWS

Order no.	Name	Reference-number*	Article no.
6IN-IP-8349	Bellows	1429950	IC-9287



* The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.

CONNECTING ROD

Order no.	Name	Reference number*	Article no.
6IN-IP-8351	Rod	1429960	IC-8351
6IN-IC-462101	hex nut	1406610	IC-462101
6IN-IC-3724	washer	426680	IC-3724
6IN-IP-8345	universal joint	1429870	IC-8979



BASE BODY

Order no.	Name	Reference number*	Article no.
6IN-IP-6011-A	base body	1433930	IC-8554



FIXATION POINT

Order no.	Name	Reference number*	Article no.
6IN-03717	ball point	1429880	IC-3717



*The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.

BOWDEN CABLE CONTROL LEVER, ISO CROSS SHIFT LEVER

- For Indemar control lever CU300
- Up to 3 buttons (each max. 4A at 30VDC)
- Total cable length ca. 1,9 m



BUTTON PANEL

Order no.	Number of buttons	Reference number*	Article no.
6IN-IP-8361-A	0	1431300	IP-8361
6IN-IP-8367-A	1	1431290	IP-8367
6IN-IP-8368-A	2	3536580	IP-8368
6IN-IP-8369-A	3	3462920	IP-8369



BUTTONS

Order no.	Name	Reference number*	Article no.
6IN-IP-8356-A	APEM button	0401090	IC-8713
6IN-IC-9338	rubber screw cap- 15/32-32 UNS	1446860	IC-9338



SYMBOL PANEL

Order no.	Name	Reference number*	Article no.
6IN-IP-8468	symnol panel „front loader“	1434230	IC-8468



* The OEM number provided is for reference purposes only. Unless expressly stated otherwise, the item offered is not an original part, but a compatible replacement part in OEM quality. Subject to technical changes and errors excepted.

Didn't find the item you're looking for?



LET US FIND THE PERFECT SOLUTION FOR YOU!

Standard is not always adequate – we know from experience. Applications in hydraulics, mechanical engineering, or automotive technology often have very specific requirements in terms of material, length, connections, or design. If you cannot find the appropriate Bowden cable in our range, there is no need to worry – we manufacture custom Bowden cables tailored precisely to your requirements.

AS FLEXIBLE AS YOUR REQUIREMENTS

Whether you need a special installation position, unusual length, special end pieces, or temperature or weather resistance, we deliver tailor-made solutions you can rely on. Our strength is our combination of technical expertise, high-quality materials, and a deep understanding of practical applications.


OUR SERVICE - YOUR ADVANTAGE:

- Tailor-made to customer specifications
- Wide range of end pieces: ball head, clevis, thread, eyelet
- Different lengths, covers, and pull covers available
- Short delivery times and individual support
- Small quantities also available

OUR SERVICE - YOUR ADVANTAGE:

Our experienced technicians are at your side when it comes to finding—or developing—the right cable. We also offer OEM-quality replacements for older machines or special solutions.

Whether you need a single item or a large quantity, we deliver quickly, reliably, and tailored precisely to your needs.



A1-Hydraulics GmbH

Rudolf-Diesel-Straße 1 • 42477 Radevormwald • Germany
Phone: +49 2195 929 75-0 • Telefax: +49 2195 929 75-29
info@a1-hydraulics.com • www.a1-hydraulics.com

